



FloodSax® Commercial Pack

PLSE305 47cm x 52cm x 1.2cm

FloodSax® are a self-inflating flood defence system used to protect your home and business from storms, flash floods and accidental water damage.

– Lightweight (dry) product is easy to carry, store and deploy; a box of 20 can be carried by one person and hundreds can be transported to a flood scene by one person in a car or van
– Simple to use – FloodSax will work with fresh, dirty or brackish water; the bag will expand from 1.2cm high to approximately 17cm high and approximately 20kg in weight by absorbing water to become taut and puncture–proof within five minutes
– Each FloodSax is made up of 4 layers with 12 internal absorbent sections creating a multi-chamber system to keep the water fully absorbed; these absorbent chambers are then sewn together into an outer sleeve of a nonwoven material
– Absorbs up to 20-25 litres of water in just 3-5 minutes and will stay energised for up to 12 weeks if in contact with liquid without leaking any polymer gel
– Once the water is absorbed, bags perform like sandbags to mould into doorways to keep floodwater out, or to divert liquid flows to stop larger floods
– Place expanded FloodSax in tightly packed layers to build a solid barrier wall, ensuring each row overlaps the joins of the row below (in the same way bricks do), to a maximum height of 1m
– A single row of deployed FloodSax will hold back approx. 15-18cm of water
– FloodSax® are 96% biodegradable by weight and can be disposed of in landfill sites once the floodwater has subsided
– Vacuum packing provides 5-year shelf life
– Can be used internally and externally, and will absorb many different types liquids, like hydrocarbons, not just water
– Can also help with plumbing emergencies inside homes and businesses, to absorb leaks, drips, spills and floods especially in hard-to-reach places such as beneath boilers and under radiators or kitchen sinks

Colour	White
Dimensions	47cm W x 52cm L x 1.2cm H
Fluids Absorbed	Water-based liquids
Absorbency	Up to 500 L per case
Sold as	4 packages per case
Weight	9.5 kg
# per Pallet	44
Composition	Polypropylene outer with cellulose and superabsorbent polymer filler
Shelf Life	5 years

Certifications, Approvals and Ratings

TÜV Certified

Technical Documents

FloodSax

Disclaimers

Saltwater Notice

Not for use with saltwater.

New Pig
World's best stuff for leaks, drips and spills.

Hogs Hill • Watt Place • Hamilton International Technology Park • Blantyre • Glasgow • G72 0AH
0800 919 900 • newpig.co.uk • pigpen@newpig.com