







PIG® Collapse-A-Tainer® IBC Containment Berm

IBC300 122cm x 183cm x 58cm, 1476 L Sump Capacity

IBC containment has never been easier with this lightweight, portable IBC spill containment berm.

- Helps meet secondary containment regs with a small footprint
- Easy to set up and tear down; lightweight and portable for on-the-go containment of IBCs at job sites
- Sidewalls collapse completely flat for fast and easy forklift access to your IBC
- No assembly required; collapsible sidewalls have attached skirt with outside aluminium-reinforced supports that help the walls stay rigid and upright
- Convenient one-piece design requires no additional parts or tools
- Folds up flat for easy storage and transport
- Can be held in place with sandbags or with stakes through attached grommets
- Constructed of a durable, coated geomembrane that resists chemicals, abrasion and tearing
- Overall floor space required - 188cm W x 246cm L

Maximum Working Temperature	65°C (150°F)
Colour	Black and Yellow
Dimensions	122cm W x 183cm L x 58cm H
Sump Capacity	1476 L
Folded Dimensions	61cm W x 91cm L x 13cm H Folded
Usable Floor Space	122cm W x 183cm L Floor Space
Wall Type	4 Manual Walls
Sold as	1 each
Weight	22 kg
# per Pallet	19

Composition	Co-polymer geomembrane - 28 mil. nominal; PVC wall supports and skirt; Aluminium support struts
Sump Dimensions	122cm W x 183cm L x 58cm H

Technical Documents

PIG® Collapse-A-Tainer® Spill Containment Berm

Instructions for PIG Collapse-A-Tainer Spill Containment Berm

The Control of Pollution (Oil Storage) Regulations (Northern Ireland) 2010

The Control of Pollution (Oil Storage)(England) Regulations 2001

The Water Environment (Oil Storage) (Scotland) Regulations 2006

The Water Resources (Control of Pollution) (Oil Storage) (Wales) Regulations 2016

New Pig
World's best stuff for leaks, drips and spills.

Hogs Hill • Watt Place • Hamilton International Technology Park • Blantyre • Glasgow • G72 0AH
0800 919 900 • newpig.co.uk • pigpen@newpig.com