

PIG® Essentials 4-Drum Poly Containment Pallet

PAKE232SW Holds (4) 210 ltr. Steel or Poly Drums, 250 L Sump Capacity, 1250 kg Load Capacity

Affordable containment for everyday drum storage.

- 1250-kg UDL capacity is strong enough to support four fully loaded steel or poly drums
- Molded-in sump catches leaks, drips and spills to help you comply with regulations and keep your storage areas clean and safe
- Polyethylene construction resists UV rays, rust, corrosion and most chemicals
- Lift out grates for easy sump access and inspection
- 4-way forklift entry allows easy movement from either direction (unloaded only)
- Compact footprint reduces floor space needed for drum storage



Specifications

Dimensions	129cm W x 138cm L x 28cm H
Load Capacity UDL	1250 kg
Sump Capacity	250 L
Double-Stackable Unit	Not Double-Stackable
Drain	No Drain
Fork Truck Access	Four-Way Fork Access, Move Unloaded Only
Grates	(2) 63cm L x 118cm W Grates
Sold as	1 each
Weight	30.01 kg
# per Pallet	7
Composition	Polyethylene
Capacity	(4) 210 ltr. Steel or Poly Drums

Technical Documents

[The Control of Pollution \(Oil Storage\) Regulations \(Northern Ireland\) 2010](#)

[The Control of Pollution \(Oil Storage\)\(England\) Regulations 2001](#)

[The Water Environment \(Oil Storage\) \(Scotland\) Regulations 2006](#)

[The Water Resources \(Control of Pollution\) \(Oil Storage\) \(Wales\) Regulations 2016](#)

Disclaimers

[Flammables Notice](#)

If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapours, static discharge and heat sources. For further assistance, please call Technical Services.

[Poly Pallet - Unloaded Notice](#)

Remove all drums & containers from the pallet before moving.



New Pig

World's best stuff for leaks, drips and spills.

Hogs Hill • Watt Place • Hamilton International Technology Park • Blantyre • Glasgow • G72 0AH

0800 919 900 • newpig.co.uk • pigpen@newpig.com