

## PIG® Leak Diverter Bucket Kit for Roofs

TLS667 152cm x 152cm

Our portable Leak Diverter Bucket Kits are perfect for grab-and-go response to overhead leaks.



- Contains supplies for rapid response to roof leaks, all in a 24.6-litre bucket
- Bucket lid has a removable plug to allow the drainage hose to be inserted without having to remove the lid
- Bucket can be used as a collection container for diverted liquid; printed "Caution" message doubles as a warning sign
- Nonpermeable tarp is vinyl coated for strength and durability; resists punctures, UV and mildew for long life
- Hangs easily in problem spots to catch nuisance leaks and channel them to a floor drain or collection container
- Flow rate of 12.6-litres per minute when used with a 1/2" ID hose
- Preinstalled quick connect set lets you attach hose to leak diverter in seconds
- Adjustable hanging straps allow fast setup and response
- High-visibility yellow PIG Mat Pads soak up puddles to keep floors safe; "Caution" message draws attention to spill
- PIG All-Purpose Wipes are great for wiping down diverter kit before storage or for cleaning up small spills



Item#	Description	Dimensions	Weight
TLS667-TR	Translucent	152cm W x 152cm L	6.46 kg
TLS667-GY	Grey	152cm W x 152cm L	6.46 kg
TLS667-CL	Clear	152cm W x 152cm L	6.46 kg

Item#	Description	Dimensions	Weight
TLS667-TR	Translucent		
TLS667-GY	Grey		

<b>Use With</b>	Roofs
<b>Drainage Hose</b>	Included
<b>Hanging Straps</b>	Included
<b>Corner Style</b>	7.5cm Pinched Corner with Grommet
<b>Additional Grommets per Side</b>	1 per side, 76cm spacing
<b>Total Grommets/D-Rings</b>	8 Grommets
<b>Installation Method</b>	Hanging Straps
<b>Style</b>	Square
<b>Dimensions</b>	152cm W x 152cm L
<b>Hose Connector</b>	.75" w/ Quick Connect
<b>Sold as</b>	1 per box
<b>Weight</b>	6.46 kg
<b># per Pallet</b>	35
<b>Composition</b>	Diverter - 13oz PVC/Polyester; Hose - PVC; Straps - Nylon; Bucket - Plastic; Mats - Polypropylene; Wipes - Cellulose
<b>Flow Rate</b>	12.6 ltr. per Minute

**Includes**

- 1 - 152cm x 152cm Leak Diverter (TLS462-TR)
- 1 - 762cm L Hose (TLS679)
- 4 - Adjustable Hanging Straps (TLS559)
- 1 - Hose Quick Connect (TLS680)
- 30 - 28cm x 38cm PIG® Mat Pads
- 2 - 30cm x 33cm PIG® PR40 All-Purpose Wipes (WIP310)
- 1 - 24.6-ltrs Bucket (TLSE155)

**Technical Documents**

[PIG® Universal Mats](#)

[REACH Statement](#)

[Technical Data Sheet for PIG® Universal Absorbents](#)

**Disclaimers**

**Maximum Working Temperature**

Not suitable for temperatures over 170°F/77°C.

**Nominal Dimensions**

Dimensions are nominal size due to pinched corners and reinforced side walls.

