









PIG® Leak Diverter for Roofs

TLS552 76cm x 76cm

Stop devastating roof leak damage and protect your people, equipment and inventory with the original diverter. Invented here!

- The original Leak Diverter invented here and engineered to stop devastating roof leak damage every time, guaranteed
- Hangs easily in problem spots to catch nuisance leaks and channel them to a floor drain or collection container
- Ideal for quick response to avoid downtime after a roof leak or for long-term prevention in leakprone areas
- Nonpermeable tarp is vinyl coated for strength and durability; resists punctures, UV and mildew for long life
- Pinched corners help funnel liquid toward centre for better drainage
- Accepts a standard 3/4" hose connection to channel liquid to floor drain or collection container (hose sold separately)
- Flow rate of 12.6-litres per minute when used with a 1/2" ID hose
- Grommets resist tearing and make installation easy



Item#	Description	Dimensions	Weight
TLS552-TR	Translucent	76cm W x 76cm L	.9 kg
TLS552-GY	Grey	76cm W x 76cm L	.9 kg
TLS552-CL	Clear	76cm W x 76cm L	.9 kg

Metric Equivalent:

Item#	Description	Dimensions	Weight	
TLS552-TR	Translucent			
TLS552-GY	Grey			
TLS552-CL	Clear			

Specifications

Use With	Roofs
Drainage Hose	Sold separately

Hanging Straps	Sold separately
Corner Style	7.5cm Pinched Corner with Grommet
Additional Grommets per Side	None
Total Grommets/D-Rings	4 Grommets
Installation Method	Hanging Straps
Style	Square
Dimensions	76cm W x 76cm L
Hose Connector	.75"
Sold as	1 each
Weight	.9 kg
# per Pallet	720
Composition	13oz PVC/Polyester
Flow Rate	12.6 ltr. per Minute

Technical Documents

REACH Statement

Instructions for PIG Leak Diverter Systems

Disclaimers

Maximum Working Temperature

Not suitable for temperatures over 170°F/77°C.

Nominal Dimensions

Dimensions are nominal size due to pinched corners and reinforced side walls.



Hogs Hill • Watt Place • Hamilton International Technology Park • Blantyre • Glasgow • G72 0AH 0800 919 900 • newpig.co.uk • pigpen@newpig.com