



## PIG® Quick Response Roof Leak Diverter Tarp Kit

TLS1120 76cm x 76cm

Quickly catch and divert overhead leaks before they cause damage with this all-in-one kit featuring a heavy-duty diverter tarp and PIG Absorbent Water Mat Pads. Choose between magnets or adjustable straps for fast and easy hanging.

- Easily keep rain and snow from storming inside. Whether condensation and ice, or heavy rain from a high-wind storm, this solution will quickly protect your team and what you've built.
- Super-easy installation: choose between magnetic or adjustable hanging straps
- Start with a clean, dry floor: includes 5 wringable, reusable PIG Water Absorbent Mats that absorb nearly a litre of water each for cleaning up any leaks that may have hit the floor
- Multiple hanging points with tear-resistant brass grommets preserve the funnel shape and keep the diverter tarp stable
- Heavy-duty, vinyl-coated leak diverter tarp resists punctures, UV and mildew for a long life
  - can be reused over and over
- No overflowing, leaking or sagging: pinched corners create a funnel to channel liquids to a drain or collection container
- Easily connect the hose to the diverter tarp with included quick-connect adapter
- Clear, compact drawstring bag is easy to identify and grab for quick response to leaks
- Extra-large drain opening and debris cage prevents clogs from crumbled ceiling tiles, drywall and roofing material
- Includes leak diverter tarp, quick connect adapter, drainage hose, water absorbent mats, carrying bag and either adjustable hanging straps or magnetic hanging clips
- Flow rate of 12.6 litres per minute when used with a 1/2" ID hose



Item#	Description	Dimensions	Weight
TLS1120-WMG	With Magnets	76cm W x 76cm L	2.05 kg

TLS1120-WHS	With Hanging Straps	76cm W x 76cm L	2.05 kg
-------------	---------------------	-----------------	---------

### Metric Equivalent:

Item#	Description	Dimensions	Weight
TLS1120-WMG	With Magnets		
TLS1120-WHS	With Hanging Straps		

### Specifications

Use With	Roofs
Drainage Hose	Yes
Hanging Straps	Yes
Corner Style	7.5cm Pinched Corner with Grommet
Additional Grommets per Side	None
Total Grommets/D-Rings	4 Grommets
Installation Method	Hanging Straps or Magnets
Style	Square
Colour	Translucent
Dimensions	76cm W x 76cm L
Hose Connector	.75"
Sold as	1 each
Weight	2.05 kg
# per Pallet	57
Composition	Diverter - PVC, Polyester; Hose - PVC; Straps - Nylon; Magnets - Nickel, Neodymium, Stainless-Steel
Flow Rate	12.6 ltr. per Minute
Includes	1 - 76cm x 76cm Leak Diverter Tarp (TLS552-TR) 4 - 1.5m Adjustable Hanging Straps (Option) (TLS559) 4 - 2.5cm Magnetic Hanging Clips (Option) 1 - 305cm Drainage Hose (TLS690) 1 - Quick Connect (TLS680) 5 - 38cm x 43cm Water Mats (WTR006) 1 - Clear Drawstring Bag

### Technical Documents

REACH Statement

Instructions for PIG Leak Diverter Systems

### Disclaimers

#### Nominal Dimensions

Dimensions are nominal size due to pinched corners and reinforced side walls.

#### Maximum Working Temperature

Not suitable for temperatures over 170°F/77°C.



# New Pig

World's best stuff for leaks, drips and spills.

Hogs Hill • Watt Place • Hamilton International Technology Park • Blantyre • Glasgow • G72 0AH

0800 919 900 • [newpig.co.uk](http://newpig.co.uk) • [pigpen@newpig.com](mailto:pigpen@newpig.com)