



PIG® Quick Response Roof Leak Diverter Tarp Kit

TLS1120 76cm x 76cm

Quickly catch and divert overhead leaks before they cause damage with this all-in-one kit featuring a heavy-duty diverter tarp and PIG Absorbent Water Mat Pads. Choose between magnets or adjustable straps for fast and easy hanging.

- Easily keep rain and snow from storming inside. Whether condensation and ice, or heavy rain from a high-wind storm, this solution will quickly protect your team and what you've built.
- Super-easy installation: choose between magnetic or adjustable hanging straps
- Start with a clean, dry floor: includes 5 wringable, reusable PIG Water Absorbent Mats that absorb nearly a litre of water each for cleaning up any leaks that may have hit the floor
- Multiple hanging points with tear-resistant brass grommets preserve the funnel shape and keep the diverter tarp stable
- Heavy-duty, vinyl-coated leak diverter tarp resists punctures, UV and mildew for a long life
 - can be reused over and over
- No overflowing, leaking or sagging: pinched corners create a funnel to channel liquids to a drain or collection container
- Easily connect the hose to the diverter tarp with included quick-connect adapter
- Clear, compact drawstring bag is easy to identify and grab for quick response to leaks
- Extra-large drain opening and debris cage prevents clogs from crumbled ceiling tiles, drywall and roofing material
- Includes leak diverter tarp, quick connect adapter, drainage hose, water absorbent mats, carrying bag and either adjustable hanging straps or magnetic hanging clips
- Flow rate of 12.6 litres per minute when used with a 1/2" ID hose



Item#	Description	Dimensions	Weight
TLS1120-WMG	With Magnets	76cm W x 76cm L	2.05 kg

TLS1120-WHS	With Hanging Straps	76cm W x 76cm L	2.05 kg
-------------	---------------------	-----------------	---------

Metric Equivalent:

Item#	Description	Dimensions	Weight
TLS1120-WMG	With Magnets		
TLS1120-WHS	With Hanging Straps		

Specifications

Use With	Roofs
Drainage Hose	Yes
Hanging Straps	Yes
Corner Style	7.5cm Pinched Corner with Grommet
Additional Grommets per Side	None
Total Grommets/D-Rings	4 Grommets
Installation Method	Hanging Straps or Magnets
Style	Square
Colour	Translucent
Dimensions	76cm W x 76cm L
Hose Connector	.75"
Sold as	1 each
Weight	2.05 kg
# per Pallet	57
Composition	Diverter - PVC, Polyester; Hose - PVC; Straps - Nylon; Magnets - Nickel, Neodymium, Stainless-Steel
Flow Rate	12.6 ltr. per Minute
Includes	1 - 76cm x 76cm Leak Diverter Tarp (TLS552-TR) 4 - 1.5m Adjustable Hanging Straps (Option) (TLS559) 4 - 2.5cm Magnetic Hanging Clips (Option) 1 - 305cm Drainage Hose (TLS690) 1 - Quick Connect (TLS680) 5 - 38cm x 43cm Water Mats (WTR006) 1 - Clear Drawstring Bag

Technical Documents

REACH Statement

Instructions for PIG Leak Diverter Systems

Disclaimers

Nominal Dimensions

Dimensions are nominal size due to pinched corners and reinforced side walls.

Maximum Working Temperature

Not suitable for temperatures over 170°F/77°C.



New Pig

World's best stuff for leaks, drips and spills.

Hogs Hill • Watt Place • Hamilton International Technology Park • Blantyre • Glasgow • G72 0AH

0800 919 900 • newpig.co.uk • pigpen@newpig.com